




An ISO 9001:2008 Co.



Comfort with no
audible presence

www.airefengineers.net



FAN COIL UNITS

Ceiling suspended | Low noise | Low height



Choose your air.

FAN COIL UNITS

Ceiling suspended | Low noise | Low height



GENERAL DESCRIPTION

Ceiling suspended fan-coil units are low-static units, manufactured specifically for applications such as hotel rooms, studios etc., where quiet operation is coupled with optimum air-flow to ensure efficient comfort conditioning. Available in variants with or without the filter box, these units are the perfect choice for exposed type of air management systems. Designed to perform at very low decibel levels, the fan coil units also combine the efficient operation with easy maintenance capabilities to emerge as an overall perfect solution to the rising mercury.

RANGE : 400 CFM to 1200 CFM

CONSTRUCTIONAL FEATURES

CASING	:	Single skin unit made of high polymer, polyester coated galvanized sheet steel with protection film
COOLING COILS	:	Chilled water type / DX type with Copper pipe and Aluminum fins, Water IN/OUT Ø 5/8" flare nut connections
BLOWERS	:	Aluminum, DIDW type, forward curved, centrifugal
MOTORS	:	ISI marked, single phase, split capacitor type, 3 speeds
FILTERS	:	Synthetic, cleanable pre filters
DRAIN PAN	:	Dual pan with sandwiched insulation
MOUNTING	:	Hanging brackets with rubber grommets
EXTENDED TRAY	:	GSS tray sloped towards the drain pan



CHARACTERISTICS

LOW HEIGHT	:	To ensure easier accommodation into areas with space constraints, generally above the false ceiling.
COATED GSS CASING	:	Anti-corrosive body for higher durability and longer life
GASKET SEAL	:	Low leakage and quiet operation is ensured by using high quality gasket to seal the coil section from the fan section of the unit.
DUAL DRAIN PAN	:	Ensures that there is no condensate developing on the unit body.
EXTENDED TRAY	:	An extension of drain pan is provided to collect the condensate developing on valves/pipes etc.
STANDARD FAN BOARD	:	The blowers-motor assembly is mounted on the fan board punched on CNC machines for inter-changeability
REMOVABLE FILTERS	:	The filters are quick-openable for cleaning purposes.

APPLICATIONS : Hotel rooms, Malls, Shopping plazas, Restaurants, Offices, Clubs, Banks, Hospitals etc.

OPTIONAL : S.S. Drain pan, GSS finish / S.S. / Powder Coated casing,



Choose your air.

Airef Engineers

570, Industrial Area, Phase - 9, Mohali - 160062, Punjab, India
T: 0172 2232580 M: 9814178328, 9872924004, 9814636328
e mail: mail@airefengineers.net Website: www.airefengineers.net